





LNT Track

Adjustable System with Design Options.
Suitable for various environments.
With the Versatility to give you the efficient
design for all your lighting Needs




CREATIVE DESIGN

Creative Design Options




ZC-CD-02S-6W + ZC-SP-012-18W






ZC-M-300-8W + ZC-CD-01-5W





ZC-BXQM-11-6W + ZC-YQ100Q-6W



LIGHT & SHADOW

LNT Track Lighting System

Exploring Endless Creative Possibilities

Customs Corner Angles

Allowing You to Be More Unique in Your Design Mind




Kitchen






Bedroom





Bathroom



A decorative header featuring a horizontal line with several light fixtures hanging from it. On the left, there are two rectangular track lights and one circular pendant light. On the right, there is a vertical rectangular pendant light and a spherical pendant light.

Design Options



Product list

	1 ZC-XDS-200W-350W	x1
	2 ZC-Track-1000-A	x2
	3 ZC-Track-2000-A	x2
	4 ZC -SP-022-12W	x3
	5 CQA-YQBL15-5W-24V	x3
	6 ZC-YQ100Q-6W	x2



Product list



1

ZC-XDS-200W-350W

x1



2

ZC-YM-Track-3000-P

x11



3

ZC-M-600-16W

x9



4

ZC-BXQM-11-6W

x6



Product list



1

ZC-XDS-200W-350W

x1



2

ZC-DB-Track-2000-A

x3



3

ZC-YQ100Q-6W

x2




4

CQP-TD2-7W


x3

Ultimate Track Design




Creating Integrated Spaces
with Minimalistic Dimension

IP64 Waterproof Track




IP64 The power is fully covered
with the insulation materials.
The insulation prevents water moisture from entering.



Compared to magnetic tracks on the market,
LNT structures are safer and more reliable
with no risk of electric shock or short circuits

Track Corner Angles




LNT Corner Connection

With custom corner angles
The corners can be set at any angle for design.
Cave can be cut at any time without
the need for and electrical connectors.



Using Acupuncture Technology and Invention Parents.
The powered Needles and Securely
Connect to the track or fixture ,
Preventing any issues
with poor contact and flickering lights.





Traditional magnetic track expose bare copper wire for electrical connection PVC Track provides a better solution, lowering costs and in improving flexibility

Aluminum

Patented PVC Track

+ LNT Track +

CONNECTION **INTEGRATED Options**

Blending Multiple Systems together



Dexterous - LNT Track



Arco - LNT Track



Color Bridge - LNT Track



Lego - LNT Track



Sky Rail - LNT Track



LNT Track



Model	ZC-Track-1000-P	/	1000*23*27mm
	ZC-Track-1500-P	/	1500*23*27mm
	ZC-Track-2000-P	/	2000*23*27mm
	ZC-Track-3000-P	/	3000*23*27mm
Angle	/		
CRI	/		
CCT	/		
Material	Plastic		



Model	ZC-Track-1000-A	/	1000*21.6*27mm
	ZC-Track-1500-A	/	1500*21.6*27mm
	ZC-Track-2000-A	/	2000*21.6*27mm
	ZC-Track-3000-A	/	3000*21.6*27mm
Angle	/		
CRI	/		
CCT	/		
Material	Aluminum		



Model	ZC-DB-Track-1000-P	/	1000*33*27mm
	ZC-DB-Track-1500-P	/	1500*33*27mm
	ZC-DB-Track-2000-P	/	2000*33*27mm
	ZC-DB-Track-3000-P	/	3000*33*27mm
Angle	/		
CRI	/		
CCT	/		
Material	Plastic		



Model	ZC-DB-Track-1000-A	/	1000*31.6*27mm
	ZC-DB-Track-1500-A	/	1500*31.6*27mm
	ZC-DB-Track-2000-A	/	2000*31.6*27mm
	ZC-DB-Track-3000-A	/	3000*31.6*27mm
Angle	/		
CRI	/		
CCT	/		
Material	Aluminum		



Model	ZC-YM-Track-1000-P	/	L1000*W51 /23.6*H27 /13mm
	ZC-YM-Track-1500-P	/	L1500*W51 /23.6*H27 /13mm
	ZC-YM-Track-2000-P	/	L2000*W51 /23.6*H27 /13mm
	ZC-YM-Track-3000-P	/	L3000*W51 /23.6*H27 /13mm
Angle	/		
CRI	/		
CCT	/		
Material	Plastic		



Model	ZC-YM-Track-1000-A	/	L1000*W51.6 /21.6*H27 /20mm
	ZC-YM-Track-1500-A	/	L1500*W51.6/ 21.6*H27/ 20mm
	ZC-YM-Track-2000-A	/	L2000*W51.6/ 21.6*H27/ 20mm
	ZC-YM-Track-3000-A	/	L3000*W51.6/ 21.6*H27/ 20mm
Angle	/		
CRI	/		
CCT	/		
Material	Aluminum		



Model	1M wire	/	1000mm
Angle	/		
CRI	/		
CCT	/		
Material	/		



Model	ZC-SP-011-12W	12W	D50*130mm
	ZC-SP-012-18W	18W	D65*156mm
	ZC-SP-013-24W	24W	D76*182mm
Angle	15°/24°/36°		
CRI	Ra≥90		
CCT	3000K~6000K		
Material	Aluminum		



Model	ZC -SP-021-7W	7W	D45*100mm
	ZC -SP-022-12W	12W	D55*115mm
	ZC -SP-023-18W	18W	D65*135mm
Angle	15°/24°/36°		
CRI	Ra≥90		
CCT	3000K~6000K		
Material	Aluminum		



Model	ZC-SP-002-12W	12W	D47*105mm
	ZC-SP-003-18W	18W	D57*155mm
	ZC-SP-004-24W	24W	D67*155mm
	ZC-SP-005-30W	30W	D74*180mm
Angle	15°/24°/36°		
CRI	Ra≥90		
CCT	3000K~6000K		
Material	Aluminum		



Model	ZC-SP-032-10W	10W	D55*115mm
	ZC-SP-033-18W	18W	D65*135mm
Angle	Adjustable 10°-55°		
CRI	Ra≥90		
CCT	3000K~6000K		
Material	Aluminum		



Model	ZC-SP-062-6W	6W	D40*100mm
	ZC-SP-063-12W	12W	D52*120mm
	ZC-SP-064-18W	18W	D63*140mm
Angle	15°/24°/36°		
CRI	Ra≥90		
CCT	3000K~6000K		
Material	Aluminum		



Model	ZC-SP-PZ80-30W	30W	D80*150mm
Angle	24°/36°		
CRI	Ra≥90		
CCT	3000K~6000K		
Material	Aluminum		



Model	ZC-CG-048-12W	12W	D48*185mm
Angle	Adjustable 19.5°-34°		
CRI	Ra≥90		
CCT	3000K~6000K		
Material	Aluminum		



Model	ZC-HM-F075-8W	8W	D75*32mm
	ZC-HM-F105-18W	18W	D105*32mm
Angle	24°/38°		
CRI	Ra≥90		
CCT	3000K~6000K		
Material	Aluminum		



Model	ZC-HM-Y075-10W	10W	D75*35mm
	ZC-HM-Y105-18W	18W	D105*35mm
Angle	24°/50°		
CRI	Ra≥90		
CCT	3000K~6000K		
Material	Aluminum		



Model	ZC-HM-F093-18W	18W	93*93*47mm
Angle	15°/24°/38°/60°		
CRI	Ra≥90		
CCT	3000K~6000K		
Material	Aluminum		



Model	ZC-M-300-8W	8W	L410*W15*H17mm
	ZC-M-600-16W	16W	L710*W15*H17mm
	ZC-M-900-24W	24W	L1010*W15*H17mm
Angle	100°		
CRI	Ra≥90		
CCT	3000K~6000K		
Material	Aluminum+PC		



Model	ZC-D-300-8W	8W	L410*W15*H17mm
	ZC-D-600-16W	16W	L710*W15*H17mm
	ZC-D-900-24W	24W	L1010*W15*H17mm
Angle	15°/30°/45°		
CRI	Ra≥90		
CCT	3000K~6000K		
Material	Aluminum		



Model	ZC-BXQD-21-6W	6W	L112*W23*H87mm
	ZC-BXQD-22-12W	12W	L220*W23*H87mm
Angle	24°		
CRI	Ra≥90		
CCT	3000K~6000K		
Material	Aluminum		



Model	ZC-BXQM-11-6W	6W	L118*W23*H87mm
	ZC-BXQM-12-12W	12W	L231*W23*H87mm
Angle	100°		
CRI	Ra≥90		
CCT	3000K~6000K		
Material	Aluminum+PC		



Model	ZC-CD-01-5W	5W	D40*203mm
Angle	24°		
CRI	Ra≥90		
CCT	3000K~6000K		
Material	Iron+Aluminum		



Model	ZC-CD-02S-6W	6W	Φ84*75mm
Angle	24°/36°		
CRI	Ra≥90		
CCT	3000K~6000K		
Material	Aluminum+Acrylic		



Model	ZC-CD-03-6W	6W	Φ85*75mm
Angle	24°/36°		
CRI	Ra≥90		
CCT	3000K~6000K		
Material	Aluminum		



Model	ZC-YQ100Q-6W	6W	Φ100mm
Angle	220°		
CRI	Ra≥90		
CCT	3000K~6000K		
Material	Aluminum		



Model	ZC-YQ100S-12W	12W	Φ110*100mm
Angle	24°		
CRI	Ra≥90		
CCT	3000K~6000K		
Material	Aluminum		



Model	ZC-B-3W (G005)	3W	Glass dia 100mm
Angle	180°		
CRI	Ra≥90		
CCT	3000K~6000K		
Material	Aluminum+Glass+Acrylic		



Model	ZC-B-3W	3W	D20*40mm
Angle	180°		
CRI	Ra≥90		
CCT	3000K~6000K		
Material	Aluminum + Acrylic		



Model	ZC-BD-3W (G005)	3W	Glass Dia 120mm
Angle	180°		
CRI	Ra≥90		
CCT	3000K~6000K		
Material	Aluminum+Glass+Acrylic		



Model	ZC-BD-3W	3W	Size Dia60*53mm
Angle	180°		
CRI	Ra≥90		
CCT	3000K~6000K		
Material	Aluminum+Acrylic		



Model	ZC-CD-04-6W	6W	D80*120mm
Angle	45°		
CRI	Ra≥90		
CCT	3000K~6000K		
Material	Aluminum		



Model	ZC-CD-05-6W	6W	D60*120mm
Angle	24°		
CRI	Ra≥90		
CCT	3000K~6000K		
Material	Aluminum		



Model	ZC-CD-06-6W	6W	D100*100mm
Angle	50°		
CRI	Ra≥90		
CCT	3000K~6000K		
Material	Aluminum		



Model	ZC-CD-07-12W	12W	D100*100mm
Angle	10°-55°		
CRI	Ra≥90		
CCT	3000K~6000K		
Material	Aluminum		

BE CRATIVE

LNT Track has no limits

Unlimited in design in Creating Spaces

LNT Track

